

FIG.2




FIG.3

REGISTRATION MESSAGE

FIELD	LENGHT(bits)	
REG_TYPE	4	
SLOT_CYCLE_INDEX	3	
MOB_P_REV	8	
SCM	8	
MOB_TEM	1	
RETURN_CAUSE	4	
UI_ENCRYPT_SUP	0 or 8	

FIG.4

STATION CLASS MARK(SCM)

FIELD	BIT(s)	SETTING
EXTENDED SCM INDOCATOR	7	
DUAL MODE(=TTI)	6	CDMA ONLY = 0 DUAL MODE = 1
SLOTTED CLASS	5	
• • •	_	
TRANSMISSION	2	
POWER CLASS FOR BAND CLASS 0 ANALOG OPERATION	1-0	·

LOCATION UPDATE REQUEST MESSAGE

INFORMATION ELEMENTS	TYPE	
CALL IDENTIFIER	М	
PROTOCOL DISCRIMINATOR	M	
RESERVED-OCTET	М	
MESSAGE TYPE	М	
MOBILE IENTITY (IMSI)	М	
CLASSMARK INFORMATION TYPE2	0	R [°]
REGISTRATION TYPE	0	R
MOBILE IDENTITY (ESN)	0	С
SLOT CYCLE INDEX	0	С

M: MANDATORY R: REQUIRED O: OPTIONAL

C: CONDITIONALLY REQUIRED

FIG.6

A14-GENERAL UPDATE MEASSAGE

AT4 GENERAL OF DATE MEADONGE		
INFORMATION ELEMENTS	TYPE	
A14 MEASSAGE TYPE	М	
ATI (RATI)	0	R
CORRELATION ID	0	С
SECTOR ID (REGISTERED SECTOR)	0	R
SECURITY LAYER PACKET	0	С
SYSTEM TIME	0	С
ACCESS NETWORK IDENTIFIERS	0	C.
SESSION STATE INFORMATION RECORD	0	С
A14 INDICATORS	0	С
CELL IDENTIFIER	0	С
MOBILE IDENTITY (IMSI/ESN)	M	
CLASS MARK INFORMATION TYPE2	0	R
SLOT CYCLE INDEX	0	С

FIG.7





FIG.8



A14-PAGING REQUEST MESSAGE

INFORMATION ELEMENTS	TYPE	
A14 MEASSAGE TYPE	М	
ATI (RATI)	0	R
CORRELATION ID	0	С
SECTOR ID (REGISTERED SECTOR)	0	R
SECTOR ID LIST	0	С
SESSION STATE INFORMATION RECORD	0	R
A14 INDICATORS	- 0	R
MOBILE IDENTITY (IMSI/ESN)	M	
SERVICE OPTION	0	R
CELL IDENTIFIER LIST	0	С
SLOT CYCLE INDEX	0	C,
• • •		

FIG.10

CROSS PAGE REQUEST

INFORMATION ELEMENTS	TYI	TYPE	
MEASSAGE TYPE	٨	М	
MOBILE IDENTITY (IMSI/ESN)	. \	М	
CELL IDENTIFIER LIST	0	С	
SLOT CYCLE INDEX	0	С	
SERVICE OPTION	0	R	




FIG.12